Identification Section 1 Page E1 of E2

INNOVATING SCIENCE®

"Cutting edge science for the classroom"

221 Rochester Street (585) 226-6177

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300

For laboratory and industrial use only. Not for drug, food or household use.

ACETONE Product

Synonyms 2-Propanone / Dimethyl Ketone / Solvent

Section 2 Hazards identification

Signal word: DANGER Pictograms: GHS02 / GHS07

Target organs: Central nervous system





GHS Classification:

Flammable liquid (Category 2) Eye irritation (Category 2A) STOT-SE (Category 3)

GHS Label information: Hazard statement:

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Supplemental information:

Repeated exposure may cause skin dryness or cracking.

Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing mist/vapours/spray. P264: Wash hands thoroughly after handling

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313: If eye irritation persists: Get medical attention.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312: Call a POISON CENTER or doctor if you feel unwell.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405+P235: Store locked up. Keep cool.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / information on ingredients						
Chemical Name		CAS#	%	EINECS			
Acetone		67-64-1	100%	200-662-2			
Section 4	First aid measures						

Section 4 First aid measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: REPEATED OR PROLONGED CONTACT MAY CAUSE DRYING AND DEFATTING OF SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Acetone is extremely flammable and its vapors form explosive mixtures with air. Dangerous when exposed to heat, sparks, flame or oxidizing agents.

Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling and storage Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure controls / personal protection							
Evnoeuro Limite:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)				
Exposure Limits:	Acetone	TWA: 500 ppm; STEL: 750 ppm	TWA: 1000 ppm / 2400 mg/m ³	TWA: 250 ppm / 590 mg/m ³				

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Clear, colorless liquid.
Odor: Pungent odor.
Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Approximately -95°C (-139°F)

Boiling point: $56^{\circ}\text{C} (133^{\circ}\text{F})$ Flash point: $-20^{\circ}\text{C} (-4^{\circ}\text{F}) \text{CC}$ Evaporation rate (Butyl acetate = 1): 7.7 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: 2.5% / 12.8% Vapor pressure (mm Hg): 180

Vapor density (Air = 1): 2.00 Relative density (Specific gravity): 0.8 Solubility(ies): Soluble in water. Partition coefficient: (n-octanol / water): Log Pow: -.24 Auto-ignition temperature: 465°C (869°F)

Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: CH₃COCH₃

Molecular weight: 58.08

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Chloroform, chromic anhydride, hydrogen peroxide, nitric compounds, acids, strong oxidizers, alkalies.

Hazardous decomposition products: Oxides of carbon.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 5,800 mg/kg; Inhalation-rat LC50: 76 mg/L/4 hours

Skin corrosion/irritation: Skin-rabbit - Slight irritant.
Serious eye damage/irritation: Eyes-rabbit - Severe irritant.
Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available **Aspiration hazard:** Data not available

Potential health effects:

Inhalation: Inhalation may cause cough, sore throat, confusion, headache, dizziness, drowsiness, unconsciousness.

Ingestion: Ingestion causes nausea, vomiting, and other symptoms same as inhalation. Skin: Contact with skin causes irritation, dry and/or defatting on prolonged contact.

Eyes: Contact with eyes causes redness, pain and blurred vision.

Signs and symptoms of exposure: See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: AL3150000
Section 12 Ecological information

Toxicity to fish: Gambusia affinis (fish, fresh water), LC50 = 13,000 mg/L/48 hours

Toxicity to daphnia and other aquatic invertebrates: Daphnia cucullata (Crustacea), EC50 = ca. 7,635 mg/L/48 hours

Toxicity to algae: Anabaena inaequalis (Algae), EC50 = 21,725 mg/L/14 days

Persistence and degradability: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN1090 Shipping name: Acetone

Hazard class: 3 Packing group: II Reportable Quantity: 5,000 lbs (2270 kg) Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L 2020 ERG Guide # 127

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Acetone	Listed	5,000 lbs (2270 kg)	U002	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: July 6, 2022 Supersedes: September 9, 2020

Section 1 Identification Page E1 of E2

INNOVATING SCIENCE®

"Cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
For laboratory and industrial use only

For laboratory and industrial use only. Not for drug, food or household use.

Product HYDROCHLORIC ACID, 32-36%

Synonyms Muriatic Acid; Hydrogen Chloride

Section 2 Hazards identification

Signal word: DANGER Pictograms: GHS05 / GHS07

Target organs: Respiratory system, skin, eyes, lungs.





GHS Classification:

Corrosive to metals (Category 1) Serious eye damage (Category 1) Skin corr. (Category 1B) STOT SE (Category 3)

GHS Label information: Hazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H335: May cause respiratory irritation.

Precautionary statement(s):

P234: Keep only in original container. P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P363: Wash contaminated clothing before reuse.

P390: Absorb spillage to prevent material damage.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P406: Store in corrosive resistant container with a resistant inner liner.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 C	composition / information on	ingredients			
Chemical Name		CAS#	%	EINECS	
Water		7732-18-5	64-68%	231-791-2	
Hydrochloric acid		7647-01-0	32-36%	231-595-7	

Section 4 First aid measures

INGESTION: Harmful if swallowed. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Causes eye burns. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Causes skin burns. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Contact with metals produce hydrogen, which is flammable and may produce explosive mixtures with air.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Neutralize spill with sodium bicarbonate or calcium hydroxide, absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Page E2 of E2 Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Protect from physical damage and sunlight. Protect from moisture.

Section 8	Exposure controls / personal protection								
Evnocuro Limite:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)					
Exposure Limits:	Hydrogen chloride	STEL: C 2 ppm / C 2.98 mg/m ³	STEL: C 5 ppm / C 7 mg/m ³	STEL: C 5 ppm / C 7 mg/m ³					

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: Use a chemical fume hood and/or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Clear, colorless, fuming liquid.

Odor: Pungent odor.

Odor threshold: Data not available.

pH: <1.5 acidic, in solution.

Melting / Freezing point: Approx. -45°C (-49°F) Boiling point: 81.11-85°C (178-185°F)

Flash point: Not flammable.

Evaporation rate (= 1): Data not available. Flammability (solid/gas): Data not available. Explosion limits: Upper/Lower: Data not available.

Vapor pressure (mm Hg): Approx. 25 @ 20°C (68°F) Vapor density (Air = 1): Data not available.

Relative density (Specific gravity): Approx. 1.16 @ 20°C

Solubility(ies): Soluble in water.

Partition coefficient: (n-octanol / water): Data not available.

Auto-ignition temperature: Data not available Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: HCI Molecular weight: 36.46

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Containers may burst when heated. Avoid contact with water.

Incompatible materials: Metals, bases, active metals, alkali metals, oxidizing agents, hydroxides, amines, carbonates, cyanides, sulfides, sulfites,

formaldehyde

Hazardous decomposition products: Hydrogen chloride gas.

Section 11 **Toxicological information**

Acute toxicity: Data not available

Skin corrosion/irritation: Skin-rabbit - causes burns.

Serious eye damage/irritation: Eyes-rabbit - Corrosive to eyes.

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

IARC: Group 3: Not classifiable as to its carcinogenicity to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. Material is extrememy destructive to the tissue of the mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

Skin: May be harmful if absorbed through skin. Causes skin burns.

Eyes: Causes eye burns.

Signs and symptoms of exposure: Burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Additional information: RTECS #: MW4025000

Ecological information

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 282 mg/l - 96 h (Hydrochloric acid)

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN1789 Shipping name: Hydrochloric acid

Hazard class: 8 Packing group: II Reportable Quantity: No Marine pollutant: No

2020 ERG Guide # 157 **Exceptions:** Limited quantity equal to or less than 1 Lt

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Hydrochloric acid	Listed	Not listed	D002	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Revision Date: October 18, 2022 Supercedes: October 1, 2020 Form 06/2015

FLAMMABLE STORAGE CODE RED

Identification Section 1 Page E1 of E2

INNOVATING SCIENCE® by Aldon 221 Roc

"Cutting edge science for the classroom"

Avon, NY 14414-9409 (585) 226-6177

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300

For laboratory and industrial use only. Not for drug, food or household use.

ISOPROPYL ALCOHOL **Product**

Section 2 Hazards identification

Signal word: DANGER Pictograms: GHS02 / GHS07

Target organs: Central nervous system, Liver, Kidneys.

2-Propanol; Isopropanol



Synonyms



GHS Classification:

Flammable liquid (Category 2) Eye irritation (Category 2) STOT-SE (Category 3)

GHS Label information: Hazard statement(s):

H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Precautionary statement(s):

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing mist/vapours/spray. P264: Wash hands thoroughly after handling

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P370+P378: In case of fire: Use dry chemical, CO₂, water spray or alcohol-resistant foam to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

CAS#	%	EINECS
67-63-0	100%	200-661-7

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

 $\textbf{Suitable Extinguishing Media:} \ \, \textbf{Dry chemical, CO}_2, \text{ water spray or alcohol-resistant foam}.$

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Page E2 of E2 Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure controls / personal protection							
Evnoeuro Limite:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)				
Exposure Limits:	Isopropanol	TWA: 200 ppm / STEL: 400 ppm	TWA: 400 ppm / 980 mg/m ³	TWA: 400 ppm / STEL: 500 ppm				

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Physical and chemical properties Section 9

Appearance: Clear, colorless liquid. Odor: Aromatic odor

Odor threshold: Data not available pH: Data not available

Melting / Freezing point: -90°C (-130°F) Boiling point: 82°C (179.6°F)

Flash point: 12°C (53°F) CC

Evaporation rate (Butyl acetate = 1): 2.3 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: 2% / 12% Vapor pressure (mm Hg): 33 mm @20°C

Vapor density (Air = 1): 2.1

Relative density (Specific gravity): 0.786-0.79 @ 20°C

Solubility(ies): Complete in water.

Partition coefficient: (n-octanol / water): Log Pow: 0.05 Auto-ignition temperature: 399°C (750°F) ASTM-E659-78

Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: (CH₃)₂CHOH

Molecular weight: 60.10

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizing materials, caustics, aluminums, metals, nitroform, oleum, chlorinated compounds can react vigorously with this alcohol.

Hazardous decomposition products: Carbon oxides.

Section 11 **Toxicological information**

Acute toxicity: Oral-rat LD50: 4396 mg/kg; Inhalation-rat LC50: 72.6 mg/L/4 hours; Dermal-rat LD50: 12,800 mg/kg

Skin corrosion/irritation: Skin-rabbit - Slight irritant. Serious eye damage/irritation: Eyes-rabbit - Irritating. Respiratory or skin sensitization: Not sensitizing Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Yes Potential health effects:

Inhalation: Inhalation of high vapor concentrations may cause central nervous system depression resulting in dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat. Continued inhalation may result in unconsciousness and death.

Ingestion: Aspiration hazard. Liquid can directly enter the lungs (aspirated) when swallowed or vomited. Serious lung damage and possible fatal chemical pneumonia can develop if this occurs

Skin: Prolonged or repeated contact may cause irritation and drying, cracking and defatting of the skin which can lead to dermatitis.

Eyes: Contact causes burning sensation, redness, swelling, and/or blurred vision.

Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: NT8050000 [Isopropanol]

Section 12 **Ecological information**

Toxicity to fish: Pimephales promelas (Fish, fresh water) LC50: 9640 mg/L/96 hours [Isopropanol]

Toxicity to daphnia and other aquatic invertebrates: Artemia salina (Crustacea), EC50 = >10,000 mg/L/24 hours [Isopropanol]

Toxicity to algae: Scenedesmus quadricauda (Algae), LOEC50 = 1,800 mg/L/7 days [Isopropanol] Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport information Section 14

UN/NA number: UN1219 Shipping name: Isopropanol

Hazard class: 3 Packing group: || Reportable Quantity: No Marine pollutant: No

2020 ERG Guide # 129 **Exceptions:** Limited quantity equal to or less than 1 L

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Isopropyl alcohol	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or
						reproductive toxicity.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Revision Date: October 19, 2022 Supercedes: October 2, 2020 Form 06/2015

Section 1 Identification Page E1 of E2

INNOVATING SCIENCE® by Aldon 221 Roo 2

"Cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300

For laboratory and industrial use only. Not for drug, food or household use.

Product SODIUM HYDROXIDE, ANHYDROUS

Synonyms Caustic Soda

Section 2 Hazards identification

Signal word: DANGER Pictograms: GHS05

Target organs: Respiratory tract, gastrointestinal tract, eyes, skin.



GHS Classification: Skin. Corr. (Category 1A)

Serious Eye Damage/Eye Irritation (Category 1)

GHS Label information: Hazard statement:

H314: Causes severe skin burns and eye damage.

Precautionary statement:

P260: Do not breathe dust.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep in a position

comfortable for breathing.

P310: Immediately call a POISON CENTER or doctor. P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in

accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	ction 3 Composition / information on ingredients								
Chemical Name		CAS#	%	EINECS					
Sodium hydroxide		1310-73-2	96-100%	215-185-5					
-									

Section 4 First aid measures

INGESTION: MAY BE FATAL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SEVERE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SEVERE BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Flood with water, taking care not to splash or scatter. Avoid carbon dioxide as it reacts exothermically with this material.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: Contact with metals can generate hydrogen gas. Contact with water produces intense heat and highly irritating and corrosive mist. Hot or molten material will react violently with water liberating heat and causing splashing. Contact with water may generate sufficient heat to ignite combustible materials.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Page E2 of E2 Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8	Exposure controls / personal protection							
Evnoeuro Limite:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)				
Exposure Limits:	Sodium hydroxide	STEL: C 2 mg/m ³	TWA: 2 mg/m ³	STEL: C 2 mg/m ³				

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical and chemical properties

Appearance: Solid white beads or pellets. Odor: No odor. Odor threshold: Data not available

pH: 13.0 - 14.0

Melting / Freezing point: 318°C (604°F) Boiling point: 1390°C (2534°F)

Flash point: Not applicable.

Evaporation rate (= 1): Not applicable. Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Not applicable. Vapor pressure (mm Hg): 1 mm Hg @ 739°C Vapor density (Air = 1): Not applicable.

Relative density (Specific gravity): 2.13 @ 25°C (77°F)

Solubility(ies): 29.6 @ 0°C (32°F) in water

Partition coefficient: (n-octanol / water): Data not available.

Auto-ignition temperature: Not applicable. Decomposition temperature: Data not available.

Viscosity: Not applicable. Molecular formula: NaOH Molecular weight: 40.00

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Deliquescent material. Absorbs moisture from air. Can react with carbon dioxide to form sodium carbonate.

Incompatible materials: Metals, acids, organic compounds, organic nitro compounds.

Hazardous decomposition products: Sodium oxide. Reacts with metals to form flammable and explosive hydrogen gas.

Section 11 **Toxicological information**

Acute toxicity: Data not available

Skin corrosion/irritation: Skin - rabbit - Causes severe burns. - 24 h Serious eye damage/irritation: Eyes - rabbit - Severe eye irritation - 24 h

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

Skin: May be harmful if absorbed through skin. Causes skin burns.

Eves: Causes eve burns. Causes severe eye burns.

Signs and symptoms of exposure: Spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary

edema, burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Additional information: RTECS #: WB4900000 Section 12 **Ecological information**

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates: Immobilization EC50 - Daphnia - 40.38 mg/l - 48 h

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport information Section 14

UN/NA number: UN1823 Shipping name: Sodium hydroxide, solid

Hazard class: 8 Packing group: || Reportable Quantity: 1,000 lbs (454 kg) Marine pollutant: No

2020 ERG Guide # 154 **Exceptions:** Limited quantity equal to or less than 1 Kg

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium hydroxide	Listed	1,000 lbs (454 kg)	D002	Listed		This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Supercedes: October 21, 2020 Form 06/2015 Revision Date: November 11, 2022